

Time: 3 hrs.

Max. Marks: 80

Note: Answer any FIVE full questions, choosing ONE full question from each module.


Module-1

- What are requirements of an ideal Control System? With neat sketch, explain the working of 1 (08 Marks) an Automatic tank - level control system.
 - With a block diagram explaine: i) Propotional Controller ii) Integral Controller. (08 Marks) b.

- Define Control System, Compare open loop and closed loop control system with an example 2 a. (08 Marks) for each type.
 - With a block diagram, explain: i) Propotional Plus Integral Controller (PI). b. ii) Propotional Plus Integral Plus derivate controller (PID). And also mention its characteristics. (08 Marks)


Module-2

Write differential equations for the system shown in fig.Q3(a). The force (F) produced by 3 the Solenoid, when coil is connected to voltage source is F = (t) = K i(t), and determine (08 Marks) x(s)/e(s).




b. Reduce the following block diagram and determine control ratio fig.Q3(b).

(08 Marks)



- Derive the transfer function of an armature controlled DC motor, where output parameter is the angle turned by motor shaft and input is the applied voltage to the armature circuit. (08 Marks)
 - Using Masons gain formula, find the gain of the following system shown in fig.Q4(b). (08 Marks)



Module-3

5 a. Derive an expression for unit step response of first order system.

(06 Marks)

(04 Marks)

b. The unity feedback system characterized by an open loop transfer function

 $G(s) = \frac{K}{S(S+10)}$. Determine the gain K, so that the system will have a damping ratio 0.5

for this value of K. Determine Settling time, Rise time, Peak overshoot and Peak time for unit step input. (06 Marks)

c. Using Routh Criteria, determine stability of a system its characteristic equation is

 $S^4 + 8S^3 + 18S^2 + 16S + 5 = 0$.

OR

6 Sketch the root locus of the system whose open loop transfer function is

G(S) H(S) =
$$\frac{K}{S(S+2)(S+4)}$$
. (16 Marks)

Module-4

7 a. Sketch Polar plot for the transfer function

$$G(S) = \frac{1}{S^2(S+1)(2S+1)}$$
 (06 Marks)

b. Apply Nyquist stability criteria to the system with transfer function

G(S) H(S) =
$$\frac{(4S+1)}{S^2(S+1)(2S+1)}$$
, (10 Marks)

OR

- 8 Sketch Bode plot for
 - G(S) H(S) = $\frac{10}{S(1+0.4S)(1+0.1S)}$ and obtain Gain and Phase cross over frequency. (16 Marks)

Module-5

- 9 a. Explain the following: i) Lead Compensator ii) Lag compensator. (06 Marks)
 - b. If the system is described by !

$$\begin{bmatrix} \dot{\mathbf{x}}_1 \\ \dot{\mathbf{x}}_2 \\ \dot{\mathbf{x}}_3 \end{bmatrix} = \begin{bmatrix} 0 & 1 & 0 \\ 0 & 0 & 1 \\ -6 & -11 & -6 \end{bmatrix} \begin{bmatrix} \mathbf{x}_1 \\ \dot{\mathbf{x}}_2 \\ \mathbf{x}_3 \end{bmatrix} + \begin{bmatrix} 0 \\ 0 \\ 1 \end{bmatrix} \mathbf{u} \quad ; \quad \mathbf{Y} = \begin{bmatrix} 20 & 9 & 1 \end{bmatrix} \begin{bmatrix} \mathbf{x}_1 \\ \mathbf{x}_2 \\ \mathbf{x}_3 \end{bmatrix}.$$

Check System Completely State Controllable and Completely Observable. Use Kalman's method. (10 Marks)

OD

- 10 a. Choosing suitable state variable, construct a state model for a spring, mass and damper system. (07 Marks)
 - b. Determine the state controllability and observability of the system described by

$$\dot{\mathbf{x}} = \begin{bmatrix} -3 & 1 & 1 \\ -1 & 0 & 1 \\ 0 & 0 & 1 \end{bmatrix} \dot{\mathbf{x}} + \begin{bmatrix} 0 & 1 \\ 0 & 0 \\ 2 & 1 \end{bmatrix} \mathbf{u} \qquad ; \qquad \mathbf{Y} = \begin{bmatrix} 0 & 0 & 1 \\ 1 & 1 & 0 \end{bmatrix} \mathbf{x}$$

$$\mathbf{CMRIT\ LIBRARY}$$
BANGALORE - 560 037

* * * * * 2 of 2