

# CBCS SCHEME

USN

--	--	--	--	--	--	--

15EC34

## Third Semester B.E. Degree Examination, Dec.2019/Jan.2020

### Network Analysis

Time: 3 hrs.

Max. Marks: 80

- Note:** 1. Answer any FIVE full questions, choosing ONE full question from each module.  
 2. Missing data, if any, may be suitably assumed.

#### Module-1

- 1 a. Derive expression for converting star to delta. (08 Marks)  
 b. Using Mesh current find  $V_2$  which result a zero current in 4 ohm resistor in the network shown in Fig.Q1(b). (08 Marks)




Fig.Q1(b)

**OR**

- 2 a. For the network of Fig.Q2(a), determine the  $v_1$  and  $v_2$  by nodal analysis. (08 Marks)




Fig.Q2(a)

- b. Find the current I in 28Ω resistor by Mesh analysis in Fig.Q2(b). (08 Marks)




Fig.Q2(a)

#### Module-2

- 3 a. State and prove superposition theorem. (06 Marks)  
 b. Using Millman's theorem, find  $I_L$  through  $R_L$  for the network shown in Fig.Q3(b). (04 Marks)




Fig.Q3(b)

- c. Obtain Norton equivalent of the network of Fig.Q3(c) between terminals A and B. (06 Marks)




Fig.Q3(c)

1 of 3

24 JAN 2020

OR

- 4 a. State maximum power transfer theorem. Prove that  $Z_L = Z_0^*$  for AC circuits.  
 b. Verify reciprocity theorem to find value of  $V_X$  in the circuit shown Fig.Q4(b).


(08 Marks)  
(08 Marks)

Fig.Q4(b)

Module-3

- 5 a. In the network shown in Fig.Q5(a), K is changed from position a to b at  $t = 0$ . Solve for  $i$ ,  $\frac{di}{dt}$  and  $\frac{d^2i}{dt^2}$  at  $t = 0^+$ , if  $R = 1000\Omega$ ,  $L = 1H$ ,  $C = 0.1\mu F$  and  $V = 100V$ . Assume that the capacitor is initially uncharged. (08 Marks)




Fig.Q5(a)

- b. Determine the response current  $i(t)$  in the circuit shown in Fig.Q5(b) using Laplace transform. (08 Marks)




Fig.Q5(b)

OR

- 6 a. Synthesis the waveform shown in Fig.Q6(a) and find the Laplace transform of the periodic waveform. (08 Marks)




Fig.Q6(a)

- b. Determine  $v$ ,  $\frac{dv}{dt}$  and  $\frac{d^2v}{dt^2}$  at  $t = 0^+$  when the switch k is opened at  $t = 0$  in Fig.Q6(b). (08 Marks)




Fig.Q6(b)

2 of 3

**Module-4**

- 7 a. What is resonance? Show that  $f_0 = \sqrt{f_1 f_2}$  for series resonance circuit. (08 Marks)  
 b. Find the values of  $C$  for which the circuit given in Fig.Q7(b) resonates at 750Hz. (08 Marks)




Fig.Q7(b)

**OR**

- 8 a. A series RLC circuit has  $R = 4\Omega$ ,  $L = 1\text{mH}$ , and  $C = 10\mu\text{F}$ , calculate Q – factor, bandwidth, resonant frequency and the half power frequencies  $f_1$  and  $f_2$ . (08 Marks)  
 b. Derive expression for  $f_r$ ,  $Q$  and bandwidth of a parallel resonant circuit with lossless capacitor in parallel with a coil of resistance  $R$  and inductance  $L$ . (08 Marks)

**Module-5**

- 9 a. Derive Y parameters and transmission parameters of a circuit in terms of its z-parameters. (08 Marks)  
 b. Find the z-parameters for the network shown in Fig.Q9(b). (08 Marks)




Fig.Q9(b)

**OR**

- 10 a. The z parameters of a two port network are  $z_{11} = 20\Omega$ ,  $z_{22} = 30\Omega$ ,  $z_{12} = z_{21} = 10\Omega$ . Find Y and ABCD parameters. (08 Marks)  
 b. Determine Y parameters of the two port network shown in Fig.Q10(b). (08 Marks)




Fig.Q10(b)

\* \* \* \* \*

