

17MAT11

# First Semester B.E. Degree Examination, Dec.2019/Jan.2020 Engineering Mathematics – I

Time: 3 hrs.

Max. Marks: 100

Note: Answer any FIVE full questions, choosing ONE full question from each module.

# Module-1

1 a. Find the n<sup>th</sup> derivative of sin 2x cos x.

(06 Marks)

b. Prove that the following curves cuts orthogonally  $r = a(1 + \sin \theta)$  and  $r = a(1 - \sin \theta)$ .

(07 Marks)

c. Find the radius of the curvature of the curve  $r = a \sin n\theta$  at the pole.

(07 Marks)

#### OR

2 a. If 
$$\tan y = x$$
, prove that  $(1 + x^2)y_{n+2} + 2(n+1)xy_{n+1} + n(n+1)y_n = 0$ . (06 Marks)

b. With usual notations, prove that 
$$\tan \phi = \frac{\tau d\theta}{dr}$$
.

(07 Marks)

c. Find the radius of curvature for the curve  $n^2y = a(x^2 + y^2)$  at (-2a, 2a).

(07 Marks)

### Module-2

3 a. Using Maclaurin's series prove that 
$$\sqrt{1 + \sin 2x} = 1 + x - \frac{x^2}{2} - \frac{x^3}{6} + \frac{x^4}{24} + \dots$$
 (06 Marks)

b. If 
$$U = \cot^{-1}\left(\frac{x+y}{\sqrt{x}+\sqrt{y}}\right)$$
, prove that  $x\frac{\partial U}{\partial x} + y\frac{\partial U}{\partial y} = -\frac{1}{4}\sin 2U$ . (07 Marks)

c. Find the Jacobian of 
$$u = x^2 + y^2 + z^2$$
,  $v = xy + yz + zx$ ,  $w = x + y + z$ .

#### OR

4 a. Evaluate 
$$\lim_{x\to 0} \left(\frac{\tan x}{x}\right)^{1/x}$$

(06 Marks)

(07 Marks)

b. Find the Taylor's sense of  $\log(\cos x)$  about the point  $x = \frac{\pi}{3}$  upto the third degree.

(07 Marks)

c. If 
$$u = f\left(\frac{x}{y}, \frac{y}{z}, \frac{z}{x}\right)$$
 prove that  $x \frac{\partial u}{\partial x} + y \frac{\partial u}{\partial y} + z \frac{\partial u}{\partial z} = 0$ .

(07 Marks)

#### Module-3

- 5 a. If  $x = t^2 + 1$ , y = 4t 3,  $z = 2t^2 6t$  represents the parametric equation of a curve then, find velocity and acceleration at t = 1. (06 Marks)
  - b. Find the constants a and b such that  $\overrightarrow{F} = (axy + z^3)i + (3x^2 z)j + (bxz^2 y)k$  is irrotational. Also find a scalar function  $\phi$  such that  $\overrightarrow{F} = \nabla \phi$ . (07 Marks)

1 of 2

c. Prove that  $div(curl \bar{A}) = 0$ .

(07 Marks)

#### OR

- 6 a. Find the component of velocity and acceleration for the curve  $\vec{r} = 2t^2i + (t^2 4t)j + (3t 5)k$  at the points t = 1 in the direction of i 3j + 2k.
  - b. If  $\overrightarrow{t} = \nabla(xy^3z^2)$ , find div  $\overrightarrow{t}$  and curl  $\overrightarrow{t}$  at the point (1, -1, 1). (07 Marks)
  - c. Prove that  $\operatorname{curl}(\operatorname{grad} \phi) = 0$ . (07 Marks)

## Module-4

- 7 a. Prove that  $\int_{0}^{2} \frac{x^4}{\sqrt{4-x^2}} dx = 3\pi \text{ using reduction formula.}$  (06 Marks)
  - b. Solve  $(x^2 + y^2 + x)dx + xydy = 0$ . (07 Marks)
  - c. Find the orthogonal trajectory of  $r^n = a \sin n\theta$ . (07 Marks)

#### OF

- 8 a. Find the reduction formula for  $\int \cos^n x dy$  and hence evaluate  $\int_0^{\pi/2} \cos^n x dx$ . (06 Marks)
  - b. Solve  $ye^{xy}dx + (xe^{xy} + 2y)dy = 0$ . (07 Marks)
  - c. A body in air at 25°C cools from 100°C to 75°C in 1 minute. Find the temperature of the body at the end of 3 minutes. (07 Marks)

## Module-5

9 a. Find the rank of the matrix  $A = \begin{bmatrix} 2 & -1 & -3 & -1 \\ 1 & 2 & 3 & -1 \\ 1 & 0 & 1 & 1 \\ 0 & 1 & 1 & -1 \end{bmatrix}$  by reducing to row echelon form.

(06 Marks)

- b. Find the largest eigen and the corresponding eigen vector for  $\begin{bmatrix} 4 & 1 & -1 \\ 2 & 3 & -1 \\ -2 & 1 & 5 \end{bmatrix}$  by taking the
  - initial approximation as [1, 0.8, -0.8]<sup>T</sup> by using power method. Carry out four iterations.
- c. Show that the transformation  $y_1 = 2x_1 2x_2 x_3$ ,  $y_2 = -4x_1 + 5x_2 + 3x_3$ ,  $y_3 = x_1 x_2 x_3$  is regular. Find the inverse transformation. (07 Marks)

#### OF

- 10 a. Solve the equations 5x + 2y + z = 12, x + 4y + 2z = 15, x + 2y + 5z = 20 by using Gauss Seidal method. Carryout three iterations taking the initial approximation to the solution as (1, 0, 3).
  - b. Diagonalize the matrix  $A = \begin{bmatrix} -1 & 3 \\ -2 & 4 \end{bmatrix}$ . (07 Marks)
  - c. Reduce the quadratic form  $8x^2 + 7y^2 + 3z^2 12xy + 4xz 8yz$  into canonical form by orthogonal transformation. (07 Marks)