



**Module-3**

- 5 a. Define Context – Free Grammar (CFG). Design CFG for the following language.  
 i) To generate the strings of balanced parentheses  
 ii)  $L = \{0^m 1^m 2^n \mid m \geq 1 \text{ and } n \geq 0\}$  (08 Marks)
- b. What is ambiguous grammar? Show that the following grammar is ambiguous.  
 $E \rightarrow E + E \mid E * E \mid (E) \mid id$   
 Write the left most derivation for the string “id + (id \* id)” (08 Marks)

OR

- 6 a. Define Deterministic PDA with example. (04 Marks)  
 b. Obtain PDA to accept the language.  
 $L = \{WCW^R \mid W \in (a + b)^*\}$  where  $W^R$  is reverse of  $W$  by a final state. (07 Marks)  
 c. Convert the following CFG to an equivalent PDA.  
 $S \rightarrow aABB \mid aAA$   
 $A \rightarrow aBB \mid a$   
 $B \rightarrow bBB \mid A$   
 $C \rightarrow a$  (05 Marks)

**Module-4**

- 7 a. Prove that “The Context – Free Language properly contain the Regular languages”. (04 Marks)  
 b. Show that the language  $L = \{a^n b^n c^n \mid n \geq 0\}$  is not context free. (08 Marks)  
 c. Prove that “Context – Free Language are non closure under intersection”. (04 Marks)

OR

- 8 a. Define Turing Machine. Explain the working of a Turing machine model. (06 Marks)  
 b. Design a turning machine that accepts  $L = \{0^n 1^n \mid n \geq 1\}$ . Write the transition diagram for the same and also indicate the moves made by the turning machine for the input ‘0011’. (10 Marks)

**Module-5**

- 9 a. Write short notes on :  
 i) Multitape Turning Machine  
 ii) Model of Linear Bounded Automation. (10 Marks)  
 b. Prove that “ $HALT_{TM} = \{(M, W) \mid \text{The Turing machine } M \text{ halts on input } W \text{ is undecidable}\}$ ”. (06 Marks)

OR

- 10 a. Prove that “The growth rate of any exponential functional is greater than that of any polynomial”. (08 Marks)  
 b. Write short note on :  
 i) Quantum Computers  
 ii) Church Turning Thesis. (08 Marks)

\*\*\*\*\*