

USN 15CV45

Fourth Semester B.E. Degree Examination, July/August 2021 Basic Geotechnical Engineering

Max. Marks: 80

Note: Answer any FIVE full questions.

- a. With the help of 3-phase diagram, define Void ratio, Porosity, Water content and degree of saturation. (08 Marks)
 - b. A partially saturated soil sample obtained from an earthfill has a natural moisture content of 22% and a unit weight of 19.62 KN/m³. Assuming G = 2.7, compute degree of saturation and void ratio. If subsequently the soil gets saturated, determine its unit weight. (08 Marks)
- 2 a. With a neat sketch, explain the importance of plasticity chart. (08 Marks)
 - b. Liquid limit test on a clayey sample gave the following results. The plastic limit of the soil is 20%.

No. of blows	12	18	22	34
Water content, %	56	52	50	45

Plot flow curve and obtain liquid limit, flow index, plasticity index and toughness index.

(08 Marks)

- 3 a. Define diffuse double layer and exchangeable ions with neat sketch. (08 Marks)
 - b. Explain the following clay minerals with neat sketches of their basic structural units:
 - (i) Kaolinite

BANGALORE

(ii) Montmorillonite.

(08 Marks)

4 a. Discuss the effect of compaction on different soil properties.

(06 Marks)

b. Differentiate between standard and modified proctor tests.

(04 Marks)

- - (i) Plot compaction curve and determine OMC.
 - (ii) Also compute void ratio and degree of saturation at OMC. Take G = 2.77

(06 Marks)

- 5 a. What are the assumptions and limitations of Darcy's law? (08 Marks)
 - b. Explain with a neat sketch the method of locating the phreatic line in a homogeneous earth dam with horizontal filter. (08 Marks)
- 6 a. What is a flownet? Briefly explain the characteristics and user of flownets. (08 Marks)
 - b. A clay structure of thickness 8 m is located at a depth of 6 m below the ground surface, it is overlayed by fine sand. The water table is located at a depth of 2 m below ground surface. For find sand submerged unit weight is 10.2 KN/m³. The moist unit weight of sand located above the water table is 16 KN/m³. For clay layer G = 2.76 and W = 25%. Compute the effective stress at the middle of clay layer. (08 Marks)

7 a. Explain mass-spring analogy of consolidation of soils.

(06 Marks)

b. How preconsolidation pressure is determined by casagrande's method?

(06 Marks)

- c. A soil sample 2 cms thickness takes 20 minutes to reach 20% consolidation. Find the time for a clay layer 6 cms thick to reach 40% consolidation. Assume double drainage in both the cases.

 (04 Marks)
- 8 a. What are curve fitting methods used in consolidation test? Explain any one with a neat sketch. (08 Marks)
 - b. There is a bed of compressible clay of 4 m thickness with pervious sand on top and impervious rock at the bottom. In a consolidation test on an undisturbed specimen of clay from this deposit, 90% settlement was reached in 4 hours. The specimen was 20 mm thick. Estimate the time in years for the building founded over this deposit to reach 90% of its final settlement.

 (08 Marks)
- 9 a. What are the advantages and disadvantages of direct shear test over triaxial shear test?

(08 Marks)

b. Explain sensitivity and thixotropy of clay.

(08 Marks)

10 a. Explain Mohr-Coulomb failure theory of soil.

BANGALORE - 560 037

(06 Marks)

b. What are the factors affecting shear strength of soil?

(04 Marks)

c. In a shear test conducted on river sand, the following results were obtained:

Normal stress, KN/m ²	22.2	44.4	66.7	88.9
Shear stress, KN/m ²	13.9	28.06	41.4	55.8

Determine C and ϕ .

(06 Marks)