

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

**Internal Assessment Test 1 – July 2022**

<b>Sub:</b>	<b>Object Oriented Programming with Java</b>							<b>Sub Code:</b>	<b>20MCA22</b>
<b>Date:</b>	<b>27.07.22</b>	<b>Duration:</b>	<b>90 min's</b>	<b>Max Marks:</b>	<b>50</b>	<b>Sem:</b>	<b>II</b>	<b>Branch:</b>	<b>MCA</b>

**Note : Answer FIVE FULL Questions, choosing ONE full question from each Module**

PART I		MARKS	OBE	
			CO	RBT
1	a) Explain the object oriented principles of Java b) What is for-each loop? Write a program to implement it. <b>OR</b>	[5+5]	CO1	L1
2	Write a program in Java for String handling which performs the following: i. Take two string input and check if they are same using equals() method. ii. Append the two strings and print the result. iii. Check the capacity of StringBuffer objects before and after the append.	[3+3+4]	CO1	L3
3	<b>PART II</b> What is a constructor? What are the differences between constructor and method? Write a program to implement parameterized constructor. <b>OR</b>	[2+3+5]	CO1	L2
4	What is the use of 'this' keyword? Demonstrate with examples	[10]	CO1	L2

5	<b>PART III</b> Differentiate method overloading and method overriding. Explain with help of program <b>OR</b>	[5+5]	CO2	L2
6	What is super keyword? Explain the three uses of super with example.	[10]	CO1	L2
7	<b>PART IV</b> Explain the use of bitwise operators in Java. <b>OR</b>	[10]	CO1	L2
8	What are the access modifiers in Java? Explain each with examples.	[10]	CO1	L2
9	<b>PART V</b> What is inheritance? Explain the types of inheritance in Java. <b>OR</b>	[10]	CO2	L1
10	Create a class named 'Rectangle' with two data members 'length' and 'breadth' and two methods to print the area of the rectangle. Its constructor having parameters for length and breadth is used to initialize length and breadth of the rectangle. Let class 'Square' inherit the 'Rectangle' class with its constructor having a parameter for its side (suppose s) calling the constructor of its parent class as 'super(s,s)'. Print the area of a rectangle and a square.	[10]	CO2	L4

## 1a. OOPs Principles

Encapsulation, Inheritance and Polymorphism are the basic principles of any object oriented programming language.

Encapsulation is the mechanism to bind the data and code working on that data into a single entity. It provides the security for the data by avoiding outside manipulations. In Java, encapsulation is achieved using classes. A class is a collection of data and code. An object is an instance of a class. That is, several objects share a common structure (data) and behavior (code) defined by that class. A class is a logical entity (or prototype) and an object is a physical entity. The elements inside the class are known as members. Specifically, the data or variables inside the class are called as member variables or instance variables or data members.

Inheritance allows us to have code re-usability. It is a process by which one object can acquire the properties of another object. It supports the concept of hierarchical classification. For example, consider a large group of animals having few of the abstract attributes like size, intelligence, skeletal structure etc. and having behavioral aspects like eating, breathing etc. Mammals have all the properties of Animals and also have their own specific features like type of teeth, mammary glands etc. that make them different from Reptiles. Similarly, Cats and Dogs have all the characteristics of mammals, yet with few features which are unique for themselves. Though Doberman, German-shepherd, Labrador etc. have the features of Dog class, they have their own unique individuality.

Polymorphism can be thought of as one interface, multiple methods. It is a feature that allows one interface to be used for a general class of actions. The specific action is determined by the exact nature of the situation. Consider an example of performing stack operation on three different types of data viz. integer, floating-point and characters. In a non-object-oriented programming, we write functions with different names for push and pop operations though the logic is same for all the data types. But in Java, the same function names can be used with data types of the parameters being different.

### 1b.for each loop:

The for-each loop is used to traverse array or collection in java.

- It is easier to use than simple for loop because we don't need to increment value and use subscript notation.
- It works on elements basis not index. It returns element one by one in the defined variable.

Syntax:

```
for(type var:array)
{
//code to be executed
}
```

Example

```
class ForEach
{
public static void main(String[] args)
{
String rnsit[]={ "raghu", "mca","ec","mba"};
for(String k:rnsit)
{
System.out.println(k);
}
}
}
```

```

2.
import java.util.*;
public class example{
    public static void main(String[] args)
    {
        Scanner sc=new Scanner(System.in);
        StringBuffer str1=new StringBuffer();
        System.out.println(str1.capacity());
        str1.append("Hello");
        StringBuffer str2=new StringBuffer(sc.nextLine());
        String s1=str1.toString();
        String s2=str2.toString();
        System.out.println(s1);
        System.out.println(s2);
        System.out.println(s1==s2);
        System.out.println(s1.equals(s2));
        sc.close();
        System.out.println("Capacity before appending"+str1.capacity());
        System.out.println("The appended string"+str1.append(str2));
        System.out.println("Capacity after appending"+str1.capacity());
    }
}

```

### 3. Constructors

- A constructor initializes an object immediately upon creation.
- It has the same name as the class in which it resides and is syntactically similar to a method.
- Once defined, the constructor is automatically called immediately after the object is created, before the new operator completes.

diff b/w constructor and method

#### Constructor

- \* A block of code that initialize at the time of creating a new object of the class is called constructor.
- \* The constructor name will always be the same as the class name.
- \*A class can have more than one parameterized constructor. But constructors should have different parameters.

#### Method

- \*A set of statements that performs specific task with and without returning value to the caller is known as method.
- \*We can use any name for the method name, such as addRow, addNum and subNumbers etc.
- \*A class can also have more than one method with the same name but different in arguments and datatypes.

#### Program for Parameterized Constructor

```

class Student4
{
int id;
String name;
Student4(int i,String n)
{
id = i;

```

```

name = n;
}
void display()
{
System.out.println(id+" "+name);
}
public static void main(String args[])
{
Student4 s1 = new Student4(111,"Karan");
Student4 s2 = new Student4(222,"Aryan");
s1.display();
s2.display();
}
}

```

#### 4. this keyword in java uses

- There can be a lot of usage of java this keyword.
- In java, this is a reference variable that refers to the current object.
- this keyword can be used to refer current class instance variable.
- this keyword can be used to invoke current class method (implicitly)
- this can be passed as an argument in the method call.
- this can be passed as argument in the constructor call.

EX:1 to invoke current class method

```

class A
{
void m()
{
System.out.println("rnsit");
}
void n()
{
System.out.println("bangalore");
this.m();
}
}
class TestThis4
{
public static void main(String args[])
{
A a=new A();
a.n();
}
}

```

EX2:to invoke current class constructor

```

class A
{
A()
{
System.out.println("hello a");}
}

```

```

A(int x)
{
this();
System.out.println(x);
}
}
class TestThis5
{
public static void main(String args[])
{
A a=new A(10);
}
}

```

5. Differences between method overloading and overriding:

- Overriding implements **Runtime Polymorphism** whereas Overloading implements **Compile time polymorphism**.
- The method Overriding occurs between **superclass and subclass**. Overloading occurs between the methods in the **same class**.
- Overriding methods have the **same signature** i.e. same name and method arguments. Overloaded method **names are the same but the parameters are different**.
- With Overloading, the method to call is determined at the compile-time. With overriding, the method call is determined at the runtime based on the object type.
- If overriding breaks, it can cause serious issues in our program because the effect will be visible at runtime. Whereas if overloading breaks, the compile-time error will come and it's easy to fix.

Example:

```

Processor.java
1 package com.journaldev.examples;
2
3 import java.util.Arrays;
4
5 public class Processor {
6
7     public void process(int i, int j) {
8         System.out.printf("Processing two integers:%d, %d", i, j);
9     }
10
11     public void process(int[] ints) {
12         System.out.println("Adding integer array:" + Arrays.toString(ints));
13     }
14
15     public void process(Object[] objs) {
16         System.out.println("Adding integer array:" + Arrays.toString(objs));
17     }
18 }
19
20 class MathProcessor extends Processor {
21
22     @Override
23     public void process(int i, int j) {
24         System.out.println("Sum of integers is " + (i + j));
25     }
26
27     @Override
28     public void process(int[] ints) {
29         int sum = 0;
30         for (int i : ints) {
31             sum += i;
32         }
33         System.out.println("Sum of integer array elements is " + sum);
34     }
35 }
36 }

```

## 6. super keyword

A Superclass Variable Can Reference a Subclass Object: \* A reference variable of a superclass can be assigned a reference to any subclass derived from that superclass.

```
class Base
{
void dispB()
{
System.out.println("Super class " );
}
}
class Derived extends Base
{
void dispD()
{
System.out.println("Sub class ");
}
}
class Demo
{
public static void main(String args[])
{
Base b = new Base();
Derived d=new Derived();
b=d;
b.dispB();
//b.dispD(); error!!
}
}
```

### Using Super

- Sometimes, we may need to initialize the members of super class while creating subclass object.
- Writing such a code in subclass constructor may lead to redundancy in code.

```
class Box
{
double w, h, b;
Box(double wd, double ht, double br)
{
w=wd; h=ht; b=br;
}
}
class ColourBox extends Box
{
int colour;
ColourBox(double wd, double ht, double br, int c)
{
w=wd; h=ht; b=br; //code redundancy
colour=c;
}
}
```

- Also, if the data members of super class are private, then we can't even write such a code in subclass constructor.
- To avoid such problems, Java provides a keyword called super.

- Whenever a subclass needs to refer to its immediate superclass, it can do so by use of the keyword super.
- super has two general forms.
  - The first calls the superclass' constructor.
  - The second is used to access a member of the superclass that has been hidden by a member of a subclass.
- If we use super( ) to call superclass constructor, then it must be the first statement executed inside a subclass constructor.

```

class Box
{
double w, h, b;
Box(double wd, double ht, double br)
{
w=wd; h=ht; b=br;
}
}
class ColourBox extends Box
{
int colour;
ColourBox(double wd, double ht, double br, int c)
{
super(wd, ht, br);
colour=c;
}
}
class Demo
{
public static void main(String args[])
{
ColourBox b=new ColourBox(2,3,4, 5);
}
}

```

- The super keyword can also be used to access superclass member (variable or method).
- This second form of super is most applicable to situations in which member names of a subclass hide members by the same name in the superclass.

```

class A
{
int a;
}
class B extends A
{
int a;//this a hides a in A
B(int x, int y)
{
super.a=x;
a=y;
}
void disp()
{
System.out.println("super class a: "+ super.a);
System.out.println("sub class a: "+ a);
}
}

```

7.

Operators	Symbol	Uses
Bitwise AND	&	op1 & op2
Bitwise exclusive OR	^	op1 ^ op2
Bitwise inclusive OR		op1   op2
Bitwise Compliment	~	~ op
Bitwise left shift	<<	op1 << op2
Bitwise right shift	>>	op1 >> op2
Unsigned Right Shift Operator	>>> op >>>	number of places to shift

```
public class BitwiseAndExample
{
    public static void main(String[] args)
    {
        int x = 9, y = 8;
        // bitwise and
        // 1001 & 1000 = 1000 = 8
        System.out.println("x & y = " + (x & y));
    }
}
Output:
x & y = 8
```

```
public class BitwiseXorExample
{
    public static void main(String[] args)
    {
        int x = 9, y = 8;
        // bitwise XOR
        // 1001 ^ 1000 = 0001 = 1
        System.out.println("x ^ y = " + (x ^ y));
    }
}
Output:
x ^ y = 1
```

```
public class BitwiseInclusiveOrExample
{
    public static void main(String[] args)
```



```

{
int x = 9, y = 8;
// bitwise inclusive OR
// 1001 | 1000 = 1001 = 9
System.out.println("x | y = " + (x | y));
}
}

```

Output:  
x | y = 9

```

public class BitwiseComplimentExample
{
public static void main(String[] args)
{
int x = 2;
// bitwise compliment
// ~0010= 1101 = -3
System.out.println("~x = " + (~x));
}
}

```

Output:  
~x = -3

```

public class SignedRightShiftOperatorExample
{
public static void main(String args[])
{
int x = 50;
//b=a>>n => b=a/2^n
System.out.println("x>>2 = " + (x >>2));
}
}

```

Output:  
x>>2 = 12

```

public class SignedLeftShiftOperatorExample
{
public static void main(String args[])
{
int x = 12;
//b=a<<n => b=a*(2^n)
System.out.println("x<<1 = " + (x << 1));
}
}

```

Output:  
x<<1 = 24

8. The access modifiers in Java specifies the accessibility or scope of a field, method, constructor, or class. We can change the access level of fields, constructors, methods, and class by applying the access modifier on it.

There are four types of Java access modifiers:

- **Private:** The access level of a private modifier is only within the class. It cannot be accessed from outside the class.
- **Default:** The access level of a default modifier is only within the package. It cannot be accessed from outside the package. If you do not specify any access level, it will be the default.


- **Protected:** The access level of a protected modifier is within the package and outside the package through child class. If you do not make the child class, it cannot be accessed from outside the package.
- **Public:** The access level of a public modifier is everywhere. It can be accessed from within the class, outside the class, within the package and outside the package.

Access Modifier	within class	within package	outside package by subclass only	outside package
Private	Y	N	N	N
Default	Y	Y	N	N
Protected	Y	Y	Y	N
Public	Y	Y	Y	Y

## 9. Inheritance

- Inheritance allows re-usability of the code.
- In Java, we use the terminology as super class and sub class.
- Inheritance is achieved using the keyword extends.
- Java does not support multiple inheritance.

### Types of Inheritance



### Single Inheritance Example:

```

class Animal{
void eat(){System.out.println("eating...");}
}
class Dog extends Animal{
void bark(){System.out.println("barking...");}
}
class TestInheritance{
public static void main(String args[]){
Dog d=new Dog();
d.bark();
d.eat();
}}
  
```

Multilevel Inheritance Example:

```
class Animal{
void eat(){System.out.println("eating...");}
}
class Dog extends Animal{
void bark(){System.out.println("barking...");}
}
class BabyDog extends Dog{
void weep(){System.out.println("weeping...");}
}
class TestInheritance2{
public static void main(String args[]){
BabyDog d=new BabyDog();
d.weep();
d.bark();
d.eat();
}}
```

Hierarchical Inheritance Example:

```
class Animal{
void eat(){System.out.println("eating...");}
}
class Dog extends Animal{
void bark(){System.out.println("barking...");}
}
class Cat extends Animal{
void meow(){System.out.println("meowing...");}
}
class TestInheritance3{
public static void main(String args[]){
Cat c=new Cat();
c.meow();
c.eat();
//c.bark();//C.T.Error
}}
```

10.

```
class Rectangle{
    int length, breadth;
    Rectangle(int l, int b)
    {
        length=l;
        breadth=b;
    }
    void area()
    {
        System.out.println(length*breadth);
    }
}
Class Square extends Rectangle{
    Square(int s)
    {
        super(s,s);
    }
}
```

```
Class mainClass{
    Public static void main(String[] args)
    {
        Rectangle r = new Rectangle(10,20);
        Square sq = new Square(20);
        r.area();
        sq.area();
    }
}
```