Max. Marks: 100 Note: Answer any FIVE full questions, choosing ONE full question from each module. Module-1 Explain the architecture of ARM Cortex-M3 processor with the help of a neat block 1 (07 Marks) diagram. b. List the application of ARM Cortex-M3 processor. (07 Marks) c. Discuss the function of R₀ to R₁₅ and other special registers in Cortex-M3 processor. (06 Marks) Explain ARM Cortex M3 program status registers in detail. (08 Marks) Explain stack push and pop operation in Cortex-M3 with the help of a neat diagram. (06 Marks) c. Explain and draw the organization memory map. (06 Marks) Module-2 Explain the following instruction with an example: 3 (iv) BRC (08 Marks) (ii) RBIT (iii) UBFX (i) DMB b. List and explain the function of any four data process and four branch instructions in ARM (08 Marks) Cortex-M3 with an example. Write an ALP to find the sum of first 10 integer numbers. (04 Marks) OR (08 Marks) Write a note on the CMSIS. b. Explain any two methods of accessing memory mapped registers (assembly code) in (06 Marks) Cortex-M3. c. List and explain the function of any four commonly used memory access instructions in (06 Marks) Cortex-M3 processor Module-3 (08 Marks) a. Explain the components of typical embedded system in detail. Write notes on the following: (ii) IrDA (08 Marks) (iii) Opto couple (iv) I - wire interface (i) I2C c. Differentiate between RISC and CISC architecture. (04 Marks) Explain the different on-board communication interface in brief. (08 Marks)

b. What are the different types of memories used in embedded system design? Explain role of (08 Marks)

Differentiate between Harvard and Von-Neumann architecture.

(04 Marks)

(10 Marks)

Module-4

| 7 | a. | Explain the different characteristics of embedded system in detail. | (08 Marks) |
|---|----|--|------------|
| | b. | Explain the operational quality attributes of an embedded system. | (06 Marks) |
| | c. | Explain the different embedded firmware design approaches in detail. | (06 Marks) |

- Explain the important non-operational attributes to be considered in any embedded system.
 - What is Hardware and Software co-design? Explain the fundamental design approach in b. (08 Marks) (04 Marks)
 - Compare DFG and CDFG with an example and diagrams.

Module-5

Briefly explain the function of the OS with a diagram. (10 Marks) 9 Write a block schematic of IDE environment for ESD and explain their function in brief.

OR

Explain the terms process, task, threads. (08 Marks) BANGALORE - 560 037 10 Explain briefly about simulator, emulator and debugging techniques. (12 Marks)