Time: 3 hrs.

Note: Answer any FIVE full questions, choosing ONE full question from each module.

Automata Theory and Compiler Design

Module-1

Define the three basic concepts of Automata. Also construct a DFA that accepts all strings 1 that have the first and last letter different on $\Sigma = \{a, b\}$. Justify the DFA with example. (10 Marks)

Solve by converting the following NFA to DFA.


(10 Marks)



Explain the different phases of a compiler with neat block diagram and convert the source 2 (10 Marks) code. Position = Initial + rate * 60 into target code.

Solve by Minimizing the following DFA.

(10 Marks)



Module-2

Define the formal definition of Regular expression. Also write the regular expression for the following: i) Set of strings consisting of Even numbers of 'a' s followed by odd number of 'b's on $\Sigma = \{a, b\}$.

ii) $L = \{a^n b^m : (n + m) \text{ is even}\}.$

iii) $L = \{a^n b^m : n \ge 4, m < 3\}$. Justify the answer.

(10 Marks)

b. Explain Input buffering in Lexical Analyzer. Define Token, Patterns and Lexemes with examples. Also write the tokens for E = m * c * * 2. (10 Marks)

OR

- Define Regular Definitions. Write the Regular Definitions for 'C' identifiers and unsigned numbers using short hands notations and write the transition diagram. (10 Marks)
 - State and prove pumping lemma theorem for Regular languages.

(10 Marks)

Module-3

- Define Context free grammar. Write a CFG for the following: 5
 - To generate strings of palindrome over $\Sigma = \{0, 1\}$. i)
 - $L = \{a^i b^j \mid i \neq j \ , \ i \geq 0 \text{ and } j \geq 0\}$ ii)

 $L = \{0^m \ 1^m \ 2^n \mid m \ge 1 \ \xi \ n \ge 0\}$. Justify the answer.

(10 Marks)

b. Define Left recursion and left factoring. Also remove the left recursion and left factoring for $E \rightarrow E + T \mid T$ the Grammar $T \rightarrow id \mid id \mid | id \mid X$ (10 Marks) $X \rightarrow E, E \mid E$. a. Define Ambiguous grammar. Show that the following in ambiguous. (10 Marks) S-icts lighters a
G-> b for the string ibtibliac b. Consider the grammar $E \rightarrow T E'$ $E' \rightarrow + TE' \mid \in$ $T \rightarrow F T'$ $T' \rightarrow FT' \in$ $F \rightarrow (E) \mid id$ Compute FIRST and Follow sets. Using FIRST and Follow sets construct the Predictive LL (1) parsing table. (10 Marks) Module-4 Define Non Deterministic Pushdown Automata. Construct an NPDA for the Language $L = \{W \in (a, b)^* : n_a(w) = n_b(w)\}$ and draw the transition diagram. Define Handle and Handle Pruning. For the following grammar perform shift reduce for the string $id_1 + id_2 * id_3$. $E \rightarrow E + E$ $E \rightarrow E * E$ $E \rightarrow (E)$ (10 Marks) $E \rightarrow id$. Define Instantaneous Description in Pushow down Automata. Construct an NPDA for the Language L = { $WCW^R : W \in (a, b)^*$ }. (10 Marks) Consider the Grammar. $S \rightarrow L = R \mid R$ $L \rightarrow R \mid id$ $R \rightarrow L$ Verify the grammar is SLR (1) or not through the suitable parsing table. (10 Marks) CMRIT LIBRARY RANGALORE - 560 037 Module-5 Define Turing Machine. Construct a Turing Machine to recognize the Language. $L = \{a^n b^n : W \in \{a, b\}^* n \ge 1\}.$ (10 Marks) b. Write the SDD for the grammar. Also construct the Annotated Parse tree for 5 * 6 + 7; $S \rightarrow EN$ $E \rightarrow E + T$ $E \rightarrow E - T$ $E \rightarrow T$

9

 $T \rightarrow T * F$ $T \rightarrow T/F$

 $T \rightarrow F$ $F \rightarrow (E)$ $F \rightarrow digit$ (10 Marks) 2 of 3

OR

Construct a Turing Machine to recognize the Language. $L = \{0^n \ 1^n \ 2^n \mid n \ge 1\}$ and trace the string 0 0 1 1 2 2. 10

(12 Marks)

b. For the Grammar construct the SDD and the annotated parse tree for the string 3 * 5 * 4 and show the Evaluation order.

 $T \rightarrow FT'$

 $T' \rightarrow * FT'$

BANGALORE - 560 037

 $T' \rightarrow \in$

 $F \rightarrow digit.$

(08 Marks)